

Number	Search Text	Off	Time Stamp
186	235 \$ cells and (barcode or (bar adj code)) and detector	USPAT, US-PGPUB, EPO, JPO, DERWENT, IBM_TDB	2002/12/20 08:40
188	235 \$ cells and (barcode or (bar adj code)) and (signal adj detector)	USPAT, US-PGPUB, EPO, JPO, DERWENT, IBM_TDB	2002/12/19 09:14
189	235 \$ cells and (barcode or (bar adj code)) and (signal adj detector) and circuit	USPAT, US-PGPUB, EPO, JPO, DERWENT, IBM_TDB	2002/12/19 09:15
195	235 \$ cells and (barcode or (bar adj code)) and (signal adj detector) and circuit and (signal adj generator)	USPAT, US-PGPUB, EPO, JPO, DERWENT, IBM_TDB	2002/12/19 09:17
2	235 \$ cells and (barcode or (bar adj code)) and (signal adj detector) and circuit and (signal adj generator) and ((sample-and-hold) or (sample near3 hold))	USPAT, US-PGPUB, EPO, JPO, DERWENT, IBM_TDB	2002/12/19 09:18
23	("3334236"   "3413447"   "3418456"   "3456117"   "3474234"   "3501623"   "3509353"   "3509354"   "3585366"   "3716699"   "3736410"   "3784483"   "3925639"   "3946241"   "3970846"   "4009389"   "4072859"   "4160156"   "4240064"   "4578571"   "4694182"   "4734566"   "5019698").PN	USPAT	2002/12/19 11:03
2	5281800 UKPN	USPAT	2002/12/19 11:37
0	(barcode or (bar adj code)) and (signal adj generator) and ((sample-and-hold) or (sample near2 hold)) and (voltage adj amplifier)	USPAT, US-PGPUB, EPO, JPO, DERWENT, IBM_TDB	2002/12/19 12:16
32	(barcode or (bar adj code)) and (signal adj generator) and ((sample-and-hold) or (sample near2 hold))	USPAT, US-PGPUB, EPO, JPO, DERWENT, IBM_TDB	2002/12/19 12:19
1	(barcode or (bar adj code)) and (signal adj generator) and ((sample-and-hold) or (sample near2 hold)) and (scan adj signal)	USPAT, US-PGPUB, EPO, JPO, DERWENT, IBM_TDB	2002/12/19 12:20
37	(scan adj signal) and (DC adj offset)	USPAT, US-PGPUB, EPO, JPO, DERWENT, IBM_TDB	2002/12/19 15:20
2, 5, 4, 2	25 \$ cells and generator and (sample-and-hold with trigger) and amplifier	USPAT, US-PGPUB, EPO, JPO, DERWENT, IBM_TDB	2002/12/20 08:42
2, 5	\$ cells and generator and (sample-and-hold with trigger) and amplifier	USPAT, US-PGPUB	2002/12/20 08:42

	coupling adj circuit) and generator and (sample-and-hold) with trigger and adj. filter	USPAT. US-PGPUB. EPO, JPO, DEFWENT, IBM_TDB	2002/12/20 08:46
	235/\$ cels) and generator and (sample-and-hold) with trigger) and amplifier	USPAT. US-PGPUB. EPO, JPO, DEFWENT, IBM_TDB	2002/12/20 08:46
83	235/\$ cels) and generator and (sample-and-hold) and amplifier	USPAT. US-PGPUB. EPO, JPO, DEFWENT, IBM_TDB	2002/12/20 11:36
8	235/\$ cels) and generator and (sample-and-hold) and amplifier and (coupling adj. circuit)	USPAT. US-PGPUB. EPO, JPO, DEFWENT, IBM_TDB	2002/12/20 08:46
6	235/\$ cels) and generator and (sample-and-hold) and (voltage adj. amplifier)	USPAT. US-PGPUB. EPO, JPO, DEFWENT, IBM_TDB	2002/12/20 08:48
3	1"4855581" ("5036183" ("5336874") IPN	USPAT.	2002/12/20 08:53
1	5504320) KIN	USPAT.	2002/12/20 08:53
11	235/\$ cels) and generator and (sample-and-hold) and amplifier and trigger	USPAT. US-PGPUB. EPO, JPO, DEFWENT, IBM_TDB	2002/12/20 09:38
0	235/\$ cels) and (barcode or (bar adj. code)) and ((baseline or (base adj. line) adj. signal) same sample	USPAT. US-PGPUB. EPO, JPO, DEFWENT, IBM_TDB	2002/12/20 11:32
0	235/\$ cels) and (barcode or (bar adj. code)) and sampling same background	USPAT. US-PGPUB. EPO, JPO, DEFWENT, IBM_TDB	2002/12/20 12:02
8	235/\$ cels) and (barcode or (bar adj. code)) and (saml\$4 or generat\$4) with signal with before with light\$4	USPAT. US-PGPUB. EPO, JPO, DEFWENT, IBM_TDB	2002/12/20 12:04
6	235/\$ cels)	USPAT. US-PGPUB. EPO, JPO, DEFWENT, IBM_TDB	2002/12/20 13:39
27	235/\$ cels) and (barcode or (bar adj. code)) and (baseline or threshold) with light	USPAT. US-PGPUB. EPO, JPO, DEFWENT, IBM_TDB	2002/12/20 13:40
51	235/\$ cels) and (barcode or (bar adj. code)) and generat\$4 with baseline	USPAT. US-PGPUB.	2002/12/20 13:48

23	235.8 cels. and (barcode or (bar adj code)) and general\$4 with (baseline or threshold with right with reflect\$4)	USPAT. US-PGPUB. EPO, JPO. DERWENT. IBM_TDB	2002/12/20 15:36
2	416/156 pm	USPAT. US-PGPUB. EPO, JPO. DERWENT. IBM_TDB	2002/12/20 15:36
27	235.8 cels. and (barcode or (bar adj code)) and (comparator with threshold with detect\$4)	USPAT. US-PGPUB. EPO, JPO. DERWENT. IBM_TDB	2002/12/20 15:43
72	235.8 cels. and (barcode or (bar adj code)) and (comparator with threshold with detect\$4)	USPAT. US-PGPUB. EPO, JPO. DERWENT. IBM_TDB	2002/12/20 15:46
10	235/462.25 cels. and (comparator with threshold with detect\$4)	USPAT. US-PGPUB. EPO, JPO. DERWENT. IBM_TDB	2002/12/20 15:49
0	235/462.25 cels. and (comparator with bias with detect\$4)	USPAT. US-PGPUB. EPO, JPO. DERWENT. IBM_TDB	2002/12/20 15:50
14	235/462.25 cels. and (scan with background)	USPAT. US-PGPUB. EPO, JPO. DERWENT. IBM_TDB	2002/12/20 15:53
4	533/142 pm. or 416/156 pm	USPAT. US-PGPUB. EPO, JPO. DERWENT. IBM_TDB	2002/12/20 16:34
1	235/462.25 cels. and (inverter near to sum\$4)	USPAT. US-PGPUB. EPO, JPO. DERWENT. IBM_TDB	2002/12/20 16:39
58858	235.8 cels. and (inverter same (summing adj amplifier))	USPAT. US-PGPUB. EPO, JPO. DERWENT. IBM_TDB	2002/12/20 16:40
2	235.8 cels. and (inverter same (summing adj amplifier))	USPAT. US-PGPUB. EPO, JPO. DERWENT. IBM_TDB	2002/12/20 16:41
7	235.8 cels. and (inverter adj) (summing adj amplifier)	USPAT. US-PGPUB. EPO, JPO. DERWENT. IBM_TDB	2002/12/20 16:42

23	235.4/2.25 cc/s and subtract\$4	USPAT. US-PGPUB. EPO, JPO DERWENT BPM_TDB	2002/12/21 14:43
24	235.4/2.25 cc/s and subtract\$4 with inverter	USPAT. US-PGPUB. EPO, JPO DERWENT BPM_TDB	2002/12/20 16:45
25	235.4/2.25 cc/s and (compar\$4 with subtract\$4	USPAT. US-PGPUB. EPO, JPO DERWENT BPM_TDB	2002/12/21 14:58
26	comparator with inverter with (summing adj amplifier)	USPAT. US-PGPUB. EPO, JPO DERWENT BPM_TDB	2002/12/20 16:58
27	comparator near to inverter with (summing adj amplifier)	USPAT. US-PGPUB. EPO, JPO DERWENT BPM_TDB	2002/12/20 17:04
28	(barcode or (bar adj code)) with detect\$4 and (inverter adj)10 (summing adj amplifier)	USPAT. US-PGPUB. EPO, JPO DERWENT BPM_TDB	2002/12/20 17:06
29	(barcode or (bar adj code)) and (inverter adj)10 (summing adj amplifier)	USPAT. US-PGPUB. EPO, JPO DERWENT BPM_TDB	2002/12/20 17:06
30	(barcode or (bar adj code)) and subtract\$4	USPAT. US-PGPUB. EPO, JPO DERWENT BPM_TDB	2002/12/20 17:06
31	(barcode or (bar adj code)) and subtract\$4 with threshold	USPAT. US-PGPUB. EPO, JPO DERWENT BPM_TDB	2002/12/21 14:03
32	235.8 cc/s and sample adj vessel	USPAT. US-PGPUB. EPO, JPO DERWENT BPM_TDB	2002/12/20 17:26
33	(barcode or (bar adj code)) and subtract\$4 with signal with other	USPAT. US-PGPUB. EPO, JPO DERWENT BPM_TDB	2002/12/21 14:23
34	528.7/2 ps	USPAT. US-PGPUB. EPO, JPO DERWENT	2002/12/21 14:49

-	235 (8ccs and (barcode or (bar adj code)) adj reader and (red adj laser adj beam))	USPAT, US-PGPUB, EPO, JPO, DERWENT, IBM_TDB	2002/12/21 14:51
-	235 (8ccs and (barcode or (bar adj code)) and (subtract\$4 with (inverter or inverting) with (summing adj amplifier)))	USPAT, US-PGPUB, EPO, JPO, DERWENT, IBM_TDB	2002/12/21 14:53
-	(barcode or (bar adj code)) and (subtract\$4 with (inverter or inverting) with (summing adj amplifier))	USPAT, US-PGPUB, EPO, JPO, DERWENT, IBM_TDB	2002/12/21 15:00
-	3 (subtract\$4 with (inverter or inverting) with (summing adj amplifier))	USPAT, US-PGPUB, EPO, JPO, DERWENT, IBM_TDB	2002/12/21 14:56
-	19 (subtract\$4 near 10 (inverter or inverting) near 10 (summing adj amplifier))	USPAT, US-PGPUB, EPO, JPO, DERWENT, IBM_TDB	2002/12/21 14:56
-	16 (barcode or (bar adj code)) adj reader and (red near4 laser near4 beam)	USPAT, US-PGPUB, EPO, JPO, DERWENT, IBM_TDB	2002/12/21 16:10
-	125 (inverter with resistor) and (summing adj amplifier with resistor)	USPAT, US-PGPUB, EPO, JPO, DERWENT, IBM_TDB	2002/12/21 15:09
-	67 (inverter with resistor) and (summing adj amplifier with resistor) and ratio	USPAT, US-PGPUB, EPO, JPO, DERWENT, IBM_TDB	2002/12/21 15:10
-	6 (inverter with resistor) and (summing adj amplifier with resistor) and (resistor with ratio with '1/3')	USPAT, US-PGPUB, EPO, JPO, DERWENT, IBM_TDB	2002/12/21 15:10
-	18 (inverter with resistor) and (summing adj amplifier with resistor) and (resistor with ratio)	USPAT, US-PGPUB, EPO, JPO, DERWENT, IBM_TDB	2002/12/21 15:20
-	1 (inverter and (inverter or summing adj amplifier) and resistor near5 ratio)	USPAT, US-PGPUB, EPO, JPO, DERWENT, IBM_TDB	2002/12/21 15:22
-	(inverter and (inverter or summing adj amplifier) and resistor) and ratio	USPAT, US-PGPUB, EPO, JPO, DERWENT	2002/12/21 15:25

	resistor same (ratio of 1 to 2.444 FN) or 3 or ratio of 4 to 4.444 FN) to 12	USPAT., US-PGPUB, FPO, JPO, DERWENT, IBM_TDB	2002/12/21/15/26
6	resistor same (ratio of 1 to 3 <sup>2</sup> or ratio of 3 to 1 <sup>2</sup> )	USPAT., US-PGPUB, FPO, JPO, DERWENT, IBM_TDB	2002/12/21/15/27
25004	resistor same (ratio)	USPAT., US-PGPUB, FPO, JPO, DERWENT, IBM_TDB	2002/12/21/15/27
73	resistor same (1/3)	USPAT., US-PGPUB, FPO, JPO, DERWENT, IBM_TDB	2002/12/21/15/30
6	resistor same (1/3) same (summer or (summing adj amplifier))	USPAT., US-PGPUB, FPO, JPO, DERWENT, IBM_TDB	2002/12/21/15/28
12	resistor same (1/3) same amplifier	USPAT., US-PGPUB, FPO, JPO, DERWENT, IBM_TDB	2002/12/21/15/32
2	4868375 pn	USPAT., US-PGPUB, FPO, JPO, DERWENT, IBM_TDB	2002/12/21/16/13
2	5280162 pn	USPAT., US-PGPUB, FPO, JPO, DERWENT, IBM_TDB	2002/12/21/16/16
2	5453664 pn	USPAT., US-PGPUB, FPO, JPO, DERWENT, IBM_TDB	2002/12/21/16/21
6459	amplifying with signal with (three or 3's)	USPAT., US-PGPUB, FPO, JPO, DERWENT, IBM_TDB	2002/12/21/16/22
68	258.8 ccts. and amplifying with signal with (three or 3's)	USPAT., US-PGPUB, FPO, JPO, DERWENT, IBM_TDB	2002/12/21/16/32
6	235.8 ccts. and amplifying with signal with (three or 3's) each times	USPAT., US-PGPUB, FPO, JPO, DERWENT,	2002/12/21/16/33

-	amplifying with signal with three or 3 adj times	USPAT. US-PGPUB EPO JPO DERWENT IBM_TDB	2002/12/21/16:33
-	235/8 cels and optical adj timing adj detector	USPAT. US-PGPUB EPO JPO DERWENT IBM_TDB	2002/12/21/16:32
-	235/8 cels and timing adj detector	USPAT. US-PGPUB EPO JPO DERWENT IBM_TDB	2002/12/22/16:28
-	5280102 or "5453004" pin	USPAT. US-PGPUB EPO JPO DERWENT IBM_TDB	2002/12/22/16:42
-	129 235/8 cels and (timing adj signal) and scan	USPAT. US-PGPUB EPO JPO DERWENT IBM_TDB	2002/12/22/15:43
-	6 235/462.25 cels and (timing adj signal)	USPAT. US-PGPUB EPO JPO DERWENT IBM_TDB	2002/12/22/15:44
-	51 235/8 cels and (scan near3 synchron\$8) with signal	USPAT. US-PGPUB EPO JPO DERWENT IBM_TDB	2002/12/22/16:23
-	42 (235/8 cels and (scan near3 synchron\$8) with signal) and (barcode or (bar adj code))	USPAT. US-PGPUB EPO JPO DERWENT IBM_TDB	2002/12/22/15:52
-	6 (coupling adj circuit) and (signal adj generator) and (sample-and-hold or (sample adj hold) and (voltage adj amplifier)	USPAT. US-PGPUB EPO JPO DERWENT IBM_TDB	2002/12/22/16:38
-	6 235/8 cels and (coupling adj circuit) and (signal adj generator) and (sample-and-hold or (sample adj hold) and (voltage adj amplifier)	USPAT. US-PGPUB EPO JPO DERWENT IBM_TDB	2002/12/22/16:28
-	6 (coupling adj circuit) and (signal adj generator) and (sample-and-hold or (sample adj hold) and (voltage adj amplifier)	USPAT. US-PGPUB EPO JPO DERWENT IBM_TDB	2002/12/22/16:29
-	10 235/8 cels and (barcode or (bar adj code)) and scan and (coupling adj circuit)	USPAT. US-PGPUB EPO JPO DERWENT	2002/12/22/16:33

-	235-4-2-25 cels. and coupling adj.circnt	USPAT. US-PGPUB. EPO, JPO. DERWI.N.I. IBM_TDB	2002/12/22 16:39
-	235-4-2-25 cels. and signal adj.generator and sample-and-hold	USPAT. US-PGPUB. EPO, JPO. DERWI.N.I. IBM_TDB	2002/12/22 16:39
-	235-4-2-25 cels. and sample-and-hold and voltage adj.amplifier	USPAT. US-PGPUB. EPO, JPO. DERWI.N.I. IBM_TDB	2002/12/22 16:40
-	82-235-8 cels. and correct\$4 with scan with signal	USPAT. US-PGPUB. EPO, JPO. DERWI.N.I. IBM_TDB	2002/12/22 16:44
-	235-8 cels. and correct\$4 with scan with signal) and (sample-and-hold) or 'S/H'	USPAT. US-PGPUB. EPO, JPO. DERWI.N.I. IBM_TDB	2002/12/22 16:42
-	235-8 cels. and (average adj.level)	USPAT. US-PGPUB. EPO, JPO. DERWI.N.I. IBM_TDB	2002/12/22 16:45
-	235-8 cels. and (average adj.level) and amplifier	USPAT. US-PGPUB. EPO, JPO. DERWI.N.I. IBM_TDB	2002/12/22 16:45